# Report 10976A 7 December 1998

Earth Observing System (EOS)
Advanced Microwave Sounding Unit-A
(EOS/AMSU-A)
Firmware Version Description Document

Contract No: NAS5-32314

**CDRL 306-8b** 

**Submitted to:** 

National Aeronautics and Space Administration Goddard Space Flight Center Greenbelt, Maryland 20771

Submitted by:

Aerojet 1100 West Hollyvale Street Azusa, California 91702

# TABLE OF CONTENTS

Paragraph		Page
1	INTRODUCTION	1
1.1	Identification	1
1.2	Scope	
1.3	Purpose and Objectives	1
1.4	Document Status and Schedule	
1.5	Document Organization	1
2	RELATED DOCUMENTATION	3
2.1	Parent Documents	3
2.2	Applicable Documents	3
2.3	Information Documents	3
3	PRODUCT DESCRIPTION	4
4	INVENTORY AND PRODUCT	
4.1	Materials Released	
4.2	Product Content	5
5	CHANGE STATUS	6
6	ABBREVIATIONS AND ACRONYMS	7
7	GLOSSARY	8
8	NOTES	8
9	APPENDICES	8
	FIGURE	
Figure		Page
1	FOS/AMSU-A Software Documentation Tree	2

## INTRODUCTION

## 1.1 IDENTIFICATION

This is the Firmware Version Description Document for the firmware to be used in the Earth Observing System (EOS) Advanced Microwave Sounding Unit-A (AMSU-A) instrument. This document is submitted in response to Contract NAS 5-32314 as a part of Contract Data Requirements List (CDRL) 306, Software Product Specifications. CDRL 306 is further broken down into subsets of which this document is identified as CDRL 306-8b. (CDRL 306-8a is the companion "Software Version Description document.") Refer to Figure 1 for the software documentation tree.

#### 1.2 SCOPE

This document defines the current firmware version of all four Computer Software Configuration Items (CSCI) for the EOS/AMSU-A instrument.

## 1.3 PURPOSE AND OBJECTIVES

The purpose of the *Firmware Version Description Document* is to provide a precise description of the particular version of the firmware being released. This description also defines the version of the requirements and design applicable to this version.

#### 1.4 DOCUMENT STATUS AND SCHEDULE

This is the final submittal of the EOS/AMSU-A Firmware Version Description Document.

#### 1.5 DOCUMENT ORGANIZATION

The EOS/AMSU-A Software Documentation Tree is as shown in Figure 1.

Document	Doc. No.	CDRL No.
Software Management Plan	10339	800
Acquisition Activities Plan	10341	508
Software Standards and Procedures		402
Software Assurance Plan	10428	309
Configuration Management Plan	9803	005
Software Product Specifications	-	306
Software Concept Document	10432	306-1a
Software Requirements Specification	10457	306-2a
Software Architectural Design	10464	306-3a
Software Detailed Design Document	10463	306-5a
Firmware Support Manual	10466	306-7
Version Description Document	10467	306-8a
User's Guide	10443	306-10a
Firmware Product Specification		306
Firmware Concept Document	10436	306-1b
Firmware Requirements	10458	306-2b
Firmware Architectural Design	10460	306-3b
Firmware Detail Design Document	10387	306-5b
Firmware Version Description	10976	306-8b
Software/Firmware Test Plan	10369/10352	033
Software Test Procedures	AE-26602	415
Software Test Reports	10975	217
Firmware Test Procedures	AE-26600	415
Firmware Test Reports	10974	217

Figure 1. EOS/AMSU-A Software Documentation Tree

# RELATED DOCUMENTATION

#### 2.1 PARENT DOCUMENTS

See Figure 1.

## 2.2 APPLICABLE DOCUMENTS

The following documents are referenced or applicable to this test report. Unless otherwise specified, the latest issue is in effect.

# NATIONAL AERONAUTICS And SPACE ADMINISTRATION

NASA-DID-P500	Version Description Data Item Description
GSFC 422-10-04	Earth Observing System (EOS) Instrument Project Software Acquisition Management Plan
422-11-12-01	General Interface Requirements Document (GIRD)

(Copies of NASA documents should be obtained from the NASA Scientific and Technical Information Facility, P.O. Box 8757, BWI Airport, Baltimore, MD 21240.)

## **AEROJET DOCUMENTS**

Report 10458 July 1994	Earth Observing System/Advanced Microwave Sounding Unit-A (EOS/AMSU-A) Firmware Requirements
Report 10387 25 April 1996	Earth Observing System/Advanced Microwave Sounding Unit-A (EOS/AMSU-A) Firmware Detail Design

## 2.3 INFORMATION DOCUMENTS

EOS/AMSU-A Project Plan, Including Project Organization Chart, Report 10345

WBS Diagram, and Task Description

(Copies of Aerojet documents should be obtained from Aerojet, CAGE 70143, P.O. Box 296, Azusa, California 91702-0296.)

## PRODUCT DESCRIPTION

This document describes the original release of the four CSCI's that represent the flight firmware for the EOS/AMSU-A1 and A2 instruments. The CSCI names and descriptions are as follows:

CSCI#	Firmware Description				
N7	EOS/AMSU-A1 Instrument Control Firmware				
N8	EOS/AMSU-A1 Command and Data Handling Firmware				
NII	EOS/AMSU-A2 Instrument Control Firmware				
N12	EOS/AMSU-A2 Command and Data Handling Firmware				

The requirements for these CSCI's are defined in Aerojet Report 10458, dated July 1994, CDRL 306-2b. The detailed designs are defined in Aerojet Report 10387, dated 25 April 1996, CDRL 306-5b.

## INVENTORY AND PRODUCT

#### 4.1 MATERIALS RELEASED

The tests demonstrated that the Command and Data Handling CSCI's N8 and N12 met all the requirements specified in the NASA General Interface Requirements Document (GIRD) together with the revised packetization requirements for the EOS/AMSU-A1 data. The functionality of the requirements were demonstrated. The verification of the requirements will take place during the initial Instrument Comprehensive Performance Test (CPT).

- There are two media items submitted for this firmware:
  - 1. A Tape Data Cartridge written in a UNIX format on an HP64000 development system computer containing all source, listing, object, and executable files for all four CSCI's. Dated March 1997.
  - 2. A "floppy" disk containing the listing files for all four CSCI's in an ASCII personal computer (PC) compatible format. Dated March 1997.
- b. The only operation and support document relevant to these CSCI's is the Firmware Support Manual, Aerojet Report 10466, dated February 1995, CDRL 306-7.
- c. All utility and support software and equipment that are not a part of this version but are required to load and maintain this version reside in the Aerojet HP Development System and are not part of the deliverable software.
- d. The required hardware is the HP6400 Development System and an appropriate Programmable Read Only Memory (PROM) burner.

# 4.2 PRODUCT CONTENT

This is the final release of each of the four CSCI's. The listings of each are included on the delivered "floppy" disk. The baseline source, object, and executable versions of these CSCI's were recorded on magnetic tape and bonded by Aerojet Quality Assurance and reside in the AMSU-A Quality Bond area.

Version descriptions of all the Computer Software Components (CSC) which make up these CSCI's are not included herein since the CSC's cannot be separately assembled and are not maintained as separate entities.

# **CHANGE STATUS**

The following changes were made to the respective CSCI's since the initial release of this Version Description Document.

CSCI No.	ECN No.	Release Date	Description of Change	Justification of Change	
N7	1535	10-8-97	Change all references in software from INOG to PORTB.	Software must be modified to match as-built hardware configuration.	
	3		2) Change sequence of channels in table TMA to match hardware.		
		:	<ol> <li>Change all antenna position lookup tables to match hardware.</li> </ol>		
N8	1713	3-3-98	Delete requirement for software to call command processing routine only at the eighth second of the eight-second scan.	This requirement is unnecessarily restrictive and causes commands to be missed. Allowing commands to be processed at any time during the scan is a proper method.	
N11	1534	10-8-97	Change all references in software from INOG to PORTB.	Software must be modified to match as-built hardware configuration.	
			2) Change sequence of channels in table TMA to match hardware.		
			Change all antenna position lookup tables to match hardware.		
N11	1744	3-24-98	<ol> <li>Correct the instrument serial number to #4.</li> <li>Widen the instrument position tolerance from 11 to 50 counts.</li> </ol>	Must include correct serial number (GIRD requirement 8.3.1). Widen position tolerance to prevent flight software from determining whether a position error exists.	
N11	1750	3-31-98	1) Modify beam position #1 data from 7D8C to 7DA4.	Match software to instrument hardware motor detent for position 1.	
N12	1712	3-3-98	Delete requirement for software to call command processing routine only at the eighth second of the eight-second scan.	This requirement is unnecessarily restrictive and causes commands to be missed. Allowing commands to be processed at any time during the scan is a proper method.	
N12	1743	3-24-98	Correct the packet length as included in the CSSDS Header (length was short by 6 octets).	Header must be correct for proper ground processing (GIRD requirement figure 6-4).	

# ABBREVIATIONS AND ACRONYMS

AMSU-A Advanced Microwave Sounding Unit-A

BWI Baltimore-Washington International

CDRL Contract Data Requirements List
CPT Comprehensive Performance Test
CSC Computer Software Component

CSCI Computer Software Configuration Item

ECN Engineering Change Notice
EOS Earth Observing System

GIRD General Interface Requirements Document

ID Identification

MIL-STD Military Standard

NASA National Aeronautics and Space Administration

PC Personal Computer

PROM Programmable Read Only Memory

WBS Work Breakdown Structure

**GLOSSARY** 

**SECTION 8** 

NOTES

**SECTION 9** 

APPENDICES

National Aeronautics and Space Administration		Report Docume	ntation P	age			
1. Report No.	2.	Government Accession No		3. Recipient's Catalog	No.		
4. Title and Subtitle	L			5. Report Date			
Integrated Advan	ced Mi	crowave Soundin	a Unit-	7 December 1998			
Integrated Advanced Microwave Sounding Unit- A, Firmware Version Description Document				6. Performing Organiza	ation Code		
A, Filliwale veis	SION DE	Scription Boodine	,,,,				
7. Author(s)		-		Performing Organization Report No.			
A Cionaras				10976A			
A. Cisneros				10. Work Unit No.			
9. Performing Organization N	ame and A	ddress			-		
Aeroj	et			11. Contract or Grant No.			
	W. Holly				5-32314		
	a, CA 91			<ol><li>Type of Report and</li></ol>	Period Covered		
12. Sponsoring Agency Name NAS		ess		Final			
		ce Flight Center		14. Sponsoring Agenc	y Code		
	•	aryland 20771			•		
15. Supplementary Notes							
,							
16. ABSTRACT (Maximum 2	200	<u> </u>					
words )							
· · · · -·		Danamimai	on Doou	mont for the l	ntograted		
This is the Firmy	vare v	ersion Descripti	ON DOCU		niegraleu		
Advanced Micro	wave :	Sounding Unit-A	(AMSU	-A).			
]							
17 Key Words (Suggested b	v Author(s	<u>,,                                   </u>	18. Distribution	on Statement	<u></u>		
17. Key Words (Suggested by Author(s))							
EOS				Unclassified U	nlimited		
Microwave System							
40. 0		20. Security Classif. (of the	nie nage)	21. No. of pages	22. Price		
19. Security Classif. (of this report) 20. Security Classif. (of this			ns paye;	Li. 110. or pages			
Unclassified Unclassified							
		1					
MACA FORM 1000 OCT 80		L		<del></del>			

# PREPARATION OF THE REPORT DOCUMENTATION PAGE

The last page of a report facing the third cover is the Report Documentation Page, RDP. Information presented on this page is used in announcing and cataloging reports as well as preparing the cover and title page. Thus, it is important that the information be correct. Instructions for filing in each block of the form are as follows:

- Block 1. Report No. NASA report series number, if preassigned.
- Block 2. Government Accession No. Leave blank.
- Block 3. <u>Recipient's Catalog No.</u>. Reserved for use by each report recipient.
- Block 4. <u>Title and Subtitle</u>. Typed in caps and lower case with dash or period separating subtitle from title.
- Block 5. Report Date. Approximate month and year the report will be published.
- Block 6. Performing Organization Code . Leave blank.
- Block 7. <u>Authors.</u> Provide full names exactly as they are to appear on the title page. If applicable, the word editor should follow a name.
- Block 8. <u>Performing Organization Report No.</u> NASA installation report control number and, if desired, the non-NASA performing organization report control number.
- Block 9. <u>Performing Organization Name and Address.</u> Provide affiliation (NASA program office, NASA installation, or contractor name) of authors.
- Block 10. Work Unit No. Provide Research and Technology Objectives and Plants (RTOP) number.
- Block 11. Contract or Grant No. Provide when applicable.
- Block 12. <u>Sponsoring Agency Name and Address.</u> National Aeronautics and Space Administration, Washington, D.C. 20546-0001. If contractor report, add NASA installation or HQ program office.
- Block 13. Type of Report and Period Covered. NASA formal report series; for Contractor Report also list type (interim, final) and period covered when applicable.
- Block 14. Sponsoring Agency Code. Leave blank.
- Block 15. Supplementary Notes. Information not included

- elsewhere: affiliation of authors if additional space is required for Block 9, notice of work sponsored by another agency, monitor of contract, information about supplements (file, data tapes, etc.) meeting site and date for presented papers, journal to which an article has been submitted, note of a report made from a thesis, appendix by author other than shown in Block 7.
- Block 16. Abstract. The abstract should be informative rather than descriptive and should state the objectives of the investigation, the methods employed (e.g., simulation, experiment, or remote sensing), the results obtained, and the conclusions reached.
- Block 17. <u>Key Words</u>. Identifying words or phrases to be used in cataloging the report.
- Block 18. <u>Distribution Statement.</u> Indicate whether report is available to public or not. If not to be controlled, use "Unclassified-Unlimited." If controlled availability is required, list the category approved on the Document Availability Authorization Form (see NHB 2200.2, Form FF427). Also specify subject category (see "Table of Contents" in a current issue of <u>STAR</u>) in which report is to be distributed.
- Block 19. <u>Security Classification</u> (of the report). Self-explanatory.
- Block 20. <u>Security Classification (of this page)</u>. Selfexplanatory.
- Block 21. <u>No. of Pages.</u> Count front matter pages beginning with iii, text pages including internal blank pages, and the RDP, but not the title page or the back of the title page.
- Block 22. Price Code. If Block 18 shows "Unclassified-Unlimited," provide the NTIS price code (see "NTIS Price Schedules" in a current issue of STAR) and at the bottom of the form add either "For sale by the National Technical Information Service, Springfield, VA 22161-2171" or "For sale by the Superintendent of Documents, U.S. Government Printing Office, Washington, D.C. 20402-0001," whichever is appropriate.

REPORT DOCUMENTATION PAGE				Ö 070	Form proved MB No. 4-0188		
Public reporting burden forthis collection of infongathering and maintaining the data needed, and collection of information, including suggestionable bavis Highway, Suite 1204, Arington, VA 22207	mation is estire completing an reducing this 2-4302, and to	natedto average 1 hour per respo dreviewing the collection informati burden, to Washington Headquar the Office of Management and Bi	nse, including on. Send co ers Services idget, Paper	g the tin imment Directo work Ri	mefor reviewing instruct is regarding this burden orate for Information Op- eduction Project (0704-	ons.searching existing data sources estimate or any other aspect of this erations and Reports, 1215 Jefferson 0188). Washington, DC 20503.	
1. AGENCY USE ONLY ( Leave 2. REPORT DATE 3. REPORT TYPE AND DATE blank )				ES COVERED			
4. TITLE AND SUBTITLE		<u> </u>		5. FL	5. FUNDING NUMBERS		
Integrated Advanced Microwave Sounding Unit-A, Firmware Version Description Document				NAS 5-32314			
6. AUTHOR(S) A. Cisnero	9						
7. PERFORMING ORGANIZATION		AND ADDRESS(ES)			ERFORMING OR		
Aerojet	MANIE(S)	AND ADDITION(ES)		RI	EPORT NUMBER		
1100 W. Holly					7 Decem	her 1998	
Azusa, CA 917		ME(S) AND ADDRESS(	-81	10. 5	SPONSORING/M		
NASA			.0,		AGENCY REPOR		
Goddard Space Flight Center Greenbelt, Maryland 20771					:		
11. SUPPLEMENTARY NOTES	,						
12a. DISTRIBUTION/AVAILABILIT	Y STATEM	IENT		12b.	DISTRIBUTION	CODE	
13. ABSTRACT (Maximum 200 words )							
This is the Firmware Advanced Microwav						tegrated	
14. SUBJECT TERMS						15. NUMBER OF PAGES	
EOS Microwaya System				16. PRICE CODE			
Microwave System							
17. SECURITY CLASSIFICATION OF REPORT		ITY CLASSIFICATION		RITY C	CLASSIFICATION ACT	20. LIMITATION OF ABSTRACT	
Unclassified	•	nclassified			assified	SAR	

#### **GENERAL INSTRUCTIONS FOR COMPLETING SF 298**

The Report Documentation Page (RDP) is used in announcing and cataloging reports. It is important that this information be consistent with the rest of the report, particularly the cover and title page. Instructions for filing in each block of the form follow. It is important to stay within the lines to meet optical scanning requirements.

### Block 1. Agency Use Only(Leave blank)

Block 2. Report Date Full publication date including day, month, andyear, if available (e.g.,1 Jan 88). Must cite at least the year.

Block 3. <u>Type of Report and Dates Covered</u> State whether report is interim, final, etc. If applicable, enter inclusive report dates (e.g., 10 Jun 87 - 30 Jun 88).

Block 4. <u>Title and Subtitle</u> A title is taken from the part of the report that provides the most meaningful and complete information. When a report iprepared in more than one volume report the primary title, add volume number and include subtitle for the specific volume. On classified documents enter the title classification in parentheses.

Block 5. <u>Funding Numbers</u> To include contract and grant numbers; may include program element number(s), project number(s), tasksnumber(s), andwork unit number(s). Use the following labels:

 C
 Contract
 PR
 Project

 G
 Grant
 TA
 Task

 PE
 Program
 WU
 Work Unit

 Element
 Accession No.

Block 6. <u>Author(s)</u>. Name(s) of person(s) responsible for writing the report, performing the research, or credited with the content of thereport. If editor or compiler, this should follow the name(s).

Block 7. <u>Performing Organization Name(s) and Address(es).</u> Self-explanatory.

Block 8. <u>Performing Organization Report Number.</u> Enter the unique alphanumeric report number(s) assigned by the organization performing the report.

Block 9. <u>Sponsoring/Monitoring Agency Name(s) and Address(es)</u> Self-explanatory.

Block 10. <u>Sponsoring/MonitoringAgency Reports Number</u> (if known).

Block 11. <u>SupplementaryNotes</u>. Enter informationnot included elsewhere such as: Prepared in cooperation with ...; Trans. of ...; To be published in ... When a report is revised, include a statementwhether the new report supersedes or supplements the older report.

Block 12.a <u>Distribution/Availability Statement</u>Denotes public availability or limitations. Cite any availability to the public. Enter additional limitations or special markings in all capitals (e.g., NOFORN, REL, ITAR).

DOD - See DoDD 5230.24 Distribution Statement on Technical Documents

DOE - See authorities.

NASA - See Handbook NHB 2200.2.

NTIS - Leave blank.

Block 12.b Distribution Code.

DOD - Leave blank.

DOE - Enter DOE distribution categories from the standard Distribution for Unclassified Scientific and Technical Reports.

NASA - Leave blank. NTIS - Leave blank.

Block 13. <u>Abstract.</u> Include a brief **Maximum 200 words** factual summary of the most significant information contained in the report.

Block 14. <u>Subject Terms.</u> Keywords or phases identifying major subjects in the report.

Block 15. Number of Pages. Enter the total number of pages.

Block 16. <u>Price Code.</u> Enter appropriate price codeNTIS only).

Block 17 - 19. <u>Security Classifications</u>. Self-explanatory. Enter U.S. Security Classification in accordance with U.S. Security Regulations (i.e., UNCLASSIFIED). If form contains classified information, stamp classification on the top and bottom of the page.

Block 20. <u>Limitation of Abstract.</u>This block must be completed to assign a limitation to the abstract. Enter either UL (unlimited) or SAR (same as report). An entry in this block is necessary if the abstract is to be limited. If blank, the abstract is assumed to be unlimited.